PATENT COOPERATION TREATY

PCT

REC'D 18 OCT 2005

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 88TY1318		FOR FURTHER AC	CTION	See Form PCT/IPEA/416	
PCT	mational application No. T/IB2004/002927	international filing date (Priority date (day/month/year) 11.09.2003	
	mational Patent Classification (IPC) or na 1S13/93	ational classification and IF	PC		
Appl TO	licant YOTA JIDOSHA KABUSHIKI KA	NISHA ET AL.			
1.	 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 				
2.	this REPORT consists of a total of 6 sheets, including this cover sheet.				
з.	This report is also accompanied by ANNEXES, comprising:				
	a. 🛮 sent to the applicant and to the International Bureau) a total of 5sheets, as follows:				
	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).				
	 sheets which supersecting beyond the disclosure Supplemental Box. 	le earlier sheets, but wi in the international app	nich this Authority consid lication as filed, as indica	ders contain an amendment that goes ated in item 4 of Box No. I and the	
	 b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) , containing sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions). 				
4.	. This report contains indications relating to the following items:				
	☐ Box No. I Basis of the opinion				
	☐ Box No. II Priority				
Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicabilit		tep and industrial applicability			
	Box No. IV Lack of unity of				
	applicability; cita	ations and explanations	 with regard to novelty, supporting such statem 	inventive step or industrial ent	
	☐ Box No. VI Certain docume		· **		
		in the international appl			
-	☐ Box No. VIII Certain observa	tions on the internation	al application		
Date	e of submission of the demand	<u> </u>	Date of completion of this	report	
24.0	05.2005		21.10.2005		
	Name and mailing address of the international		Authorized Officer	the Frience	
preiii	European Patent Office - P.B. NL-2280 HV Rijswijk - Pays B. Tel. +31 70 340 - 2040 Tx: 31 Fax: +31 70 340 - 3016	as	Niemeijer, R Telephone No. +31 70 34	10-1038	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/002927

_					
	Box No. I Basis of the report				
 With regard to the language, this report is based on the international application in the language in white filed, unless otherwise indicated under this item. 					
	which is the language of a tr ☐ international search (und ☐ publication of the internat	slations from the original language into the following language, ranslation furnished for the purposes of: er Rules 12.3 and 23.1(b)) tional application (under Rule 12.4) examination (under Rules 55.2 and/or 55.3)			
2.	With regard to the elements* of the have been furnished to the receive report as "originally filed" and are	the international application, this report is based on (replacement sheets which ving Office in response to an invitation under Article 14 are referred to in this a not annexed to this report):			
	Description, Pages				
	1-20	as originally filed			
C	Claims, Numbers				
	1-10	received on 24.05.2005 with letter of 24.05.2005			
	Drawings, Figures	•			
	1-6	as originally filed			
	☐ a sequence listing and/or an	y related table(s) - see Supplemental Box Relating to Sequence Listing			
3.	The amendments have resulted in the cancellation of: ☐ the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify):				
4.		ecify):			
	* If item 4 applies, so	me or all of these sheets may be marked "superseded."			

BEST AVAILABLE COPY

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/002927

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

No:

1-10

Inventive step (IS)

Yes: Claims

1-10

No: Claims

Claims

Industrial applicability (IA)

Yes: Claims

1-10

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- Reference is made to the following document:
 D1: DE 101 33 945 A (BOSCH GMBH ROBERT) 6 February 2003 (2003-02-06)
- 2 INDEPENDENT CLAIMS 1, 6
- 2.1 The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and discloses an object detection system, comprising (the references in parentheses applying to this document):
 - i. radar detection means that detects an object using a radar (D1: page 4, lines 21-22; figure 3),
 - ii. image detection means that detects an object using an image (D1: page 4, line 22; figure 3, and
 - iii. collating means that performs collation between a detection result of the radar detection means and a detection result of the image detection means so as to determine whether an identical object is detected by the radar detection means and the image detection means (D1: page 4, lines 46-61; figure 3);

the object detection system further comprising:

- iv. the collating means performs a first collation between an object detected by the radar detection means in a present collation and an object in a previous collation (D1: page 6, lines 65-68);
- v. performs a second collation between an object detected by the image detection means in a present collation and an object in the previous collation (D1: page 6, lines 65-68); and
- vi. determines whether the radar detection means and the image detection means detect the identical object based on the first and the second collations (D1: page 9, lines 53-60).

The subject-matter of claim 1 differs from this known system in that the first collation and second collation take place **only if** the object of the previous collation was

detected by both sensors:

- iv. the collating means performs a first collation between an object detected by the radar detection means in a present collation and an object that has been determined as being detected by the radar detection means and the image detection means in a previous collation;
- v. performs a second collation between an object detected by the image detection means in a present collation and an object that has been determined as being detected by the radar detection means <u>and</u> the image detection means in the previous collation when it is determined that the identical object is detected by the radar detection means <u>and</u> the image detection means in the previous collation;

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as:

- how to improve the stability of the sensor data fusion process?

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) for the following reasons. A well known problem in multiple sensor data fusion is the probability that a single object is fused as two distinct objects, or that two distinct objects are fused as a single object. The solution comprises an additional requirement that the association of sensor objects to existing fused objects is allowed *only if* the fused object was detected by *both sensors*. This requirement restricts the association and fusion process and leads to a more stable fusion results.

Document D1 does not disclose nor suggest this requirement. The subject-matter of independent system claim 1 is therefore inventive (Article 33(3) PCT).

2.2 The reasoning set out in point 2.1 also applies to corresponding independent method claim 6. The subject-matter of independent method claim 6 is therefore novel and inventive (Article 33(2)(3) PCT).

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IB2004/002927

- 3 DEPENDENT CLAIMS 2-5, 7-10
- 3.1 Claims 2-5 are dependent on independent system claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.
- 3.2 Claims 7-10 are dependent on independent method claim 6 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Claims

5 1. An object detection system characterized by comprising:

radar detection means (2) that detects an object using a radar,

image detection means (3) that detects an object 10 using an image, and

collating means (4) that performs collation between a detection result of the radar detection means (2) and a detection result of the image detection means (3) so as to determine whether an identical object is detected by the radar detection means (2) and the image detection means (3); the object detection system being characterized in that

the collating means (4) performs a first collation between an object (n_m) detected by the radar detection means (2) in a present collation and an object (n3_pre) that has been determined as being detected by the radar detection means (2) and the image detection means (3) in a previous collation; performs a second collation between an object (n_i) detected by the image detection means (3) in a present collation and an object (n3_pre) that has been determined as being detected by the radar detection means (2) and the image detection means (3) in the previous collation when it is determined that the identical object is detected by the radar detection means (2) and the image detection means (3) in the previous collation; and determines whether the radar detection

collation; and determines whether the radar detection means (2) and the image detection means (3) detect the identical object (n3') based on the first and the second collations.

35

30

15

20

25

BEST AVAILABLE COPY

[File:ANM\TY1318A3.doc] Claims, 03.05.05 PCT/IB2004/002927, Detecting device of object Toyota Jidosha Kabushiki Kaisha, Toyota-shi, Aichi-ken 471-8571 2. The object detection system according to claim 1, characterized in that the collating means (4) performs a third collation between objects (n_m - n3') detected by the radar detection means (2) in the present detection, which are obtained by excluding the object (n3') determined as have been detected by the radar detection means (2) and the image detection means (3), and objects (n_i - n3') detected by the image detection means (3) in the present detection, which are obtained by excluding the object (n3') determined as have been detected by the radar detection means (2) and the image detection means (3) such that it is determined whether the identical object (n3'') is detected by the radar detection means (2) and the image detection means (2) and the image detection means (3).

15

20

25

1

10

3. The object detection system according to claim 2, characterized in that the collating means (4) determines all fusion objects (n3) in the present collation by adding the number of fusion objects (n3') determined based on the first and second collation (S1) to that of the fusion objects (n3'') determined based on the third collation (S20 to S25) to determine all fusion objects (n3) in the present collation (S3), and the collating means (4) determine all independent objects (n1, n2) in the present collation by excluding the fusion objects (n3) from the objects (n_m, n_i) detected by the radar detection means (2) or the image detection means (3) in the present detection.

of claims 1 to 3, characterized in that the radar detection means (2) comprises at least one of a millimeter-wave radar and a laser radar.

BEST AVAILABLE COPY

[File:ANM\TY1318A3.doc] Claims, 03.05.05 PCT/IB2004/002927, Detecting device of object Toyota Jidosha Kabushiki Kaisha, Toyota-shi, Aichi-ken 471-8571 5

10

15

20

25

35

- 5. The object detection system according to any one of claims 1 to 4, characterized in that the image detection means (3) comprises a stereo camera.
- 6. A method of detecting an object in a system (1) including

radar detection means (2) that detects an object using a radar;

image detection means (3) that detects an object using an image; and

collating means (4) that performs collation between a detection result of the radar detection means (2) and a detection result of the image detection means (3) so as to determine whether an identical object is detected by the radar detection means (2) and the image detection means (3), the method being characterized by comprising the steps of:

performing a first collation (S10, S11) between an object (n m) detected by the radar detection means (2) in a present collation and an object (n3 pre) that has been determined as being detected by the radar detection means (2) and the image detection means (3) in a previous collation:

performing a second collation (S12, S13) between an object (n i) detected by the image detection means (3) in a present collation and an object (n3 pre) that has been determined as being detected by the radar detection means (2) and the image detection means (3) in the previous collation when is determined that the identical object is 30__detected_by_the_radar_detection_means_(2)_and_the_imagedetection means (3) in the previous collation; and

determining whether the radar detection means (2) and the image detection means (3) detects the identical object (n3') based on the first and the second collations (S14).

BEST AVAILABLE COPY

[File:ANM\TY1318A3.doc] Claims, 03.05.05 PCT/IB2004/002927, Detecting device of object Toyota Jidosha Kabushiki Kaisha, Toyota-shi, Aichi-ken 471-8571 10

15

20

25

ì

7. The method according to claim 6, characterized by further comprising the step of

performing a third collation between objects (n_m - n3') detected by the radar detection means (2) in the present detection, which are obtained by excluding the object (n3') determined as have been detected by the radar detection means (2) and the image detection means (3), and objects (n_i - n3') detected by the image detection means (3) in the present detection, which are obtained by excluding the object (n3') determined as have been detected by the radar detection means (2) and the image detection means (3) such that it is determined whether the identical object (n3'') is detected by the radar detection means (2) and the image detection means (3) (S20 to S25).

8. The method according to claim 7, characterized by further comprising the steps of

adding the number of fusion objects (n3') determined based on the first and second collation (S1) to that of the fusion objects (n3'') determined based on the third collation (S20 to S25) to determine all fusion objects (n3) in the present collation (S3); and

excluding the fusion objects (n3) from the objects (n_m, n_i) detected by the radar detection means (2) or the image detection means (3) in the present detection to determine all independent objects (n1, n2) in the present collation (S3).

characterized in that the radar detection means (2)

comprises at least one of a millimeter-wave radar and a

laser radar.

BEST AVAILABLE COPY

10. The method according to any one of claims 6 to 9, characterized in that the image detection means (3) comprises a stereo camera.

BEST AVAILABLE COPY